ph.

Notice of Allowability	Application No.	Applicant(s)
	10/652,890	SUZUKI ET AL.
	Examiner	Art Unit
	Melvin Curtis Mayes	1734
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 7/13/05</u> .		
2. The allowed claim(s) is/are <u>2-6,12,15-19 and 25</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
	•	
Attachment(s)		
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	<u> </u>	ratent Application (PTO-152)
2. Motice of Draitperson's Patent Drawing Review (P10-940)	6. ☐ Interview Summary (Paper No./Mail Date	(PTO-413), te .
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	08), 7. Examiner's Amendm	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Stateme	ent of Reasons for Allowance
	9.	
		•

Art Unit: 1734

REASONS FOR ALLOWANCE

(1)

The following is an examiner's statement of reasons for allowance: The prior art of record does not disclose or suggest, in a method of preparing a composite sheet by burying a portion of a different kind of sheet in a through hole of a ceramic sheet, the step of applying a paste onto the boundary portion between the ceramic sheet and a burn-and-extinguish sheet or metal sheet to form a coating layer on the portion, as claimed in Claims 2, 5, 15 and 18 (according to the specification, a paste is applied in the gap between the ceramic sheet and the sheet filled in the hole in the ceramic sheet) nor disclose or suggest the steps of swelling at least one of the ceramic sheet or different kind of sheet at a boundary portion and pressing the composite sheet that has been swollen, as claimed in Claims 12 and 25 (according to the specification, solvent is supplied to the boundary portion between the ceramic sheet and punched portion of the different sheet buried in the ceramic sheet to cause swelling).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

(2)

The drawings filed 8/28/2003 are approved.

Art Unit: 1734

(3)

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvin Curtis Mayes whose telephone number is 571-272-1234.

The examiner can normally be reached on Mon-Fri 7:30 AM - 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Fiorilla can be reached on 571-272-1187. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Melvin Curtis Mayes Primary Examiner Art Unit 1734

MCM September 30, 2005